





the company





Founded in the 70s, for the marketing of woodshaving panels to order, Cleaf has now achieved total control on the entire manufacturing chain of panels for the interior design and furniture industries. Thanks to a unique production plant, among the most innovative in the field.

CLEAF IS A SYSTEM OF PRODUCTS AND SERVICES BASED ON RESEARCH, ADVANCED TECHNOLOGY, INNOVATION AND DESIGN AIMED AT THE ACHIEVEMENT OF HIGH-QUALITY ADDED VALUE.

The company's mission is to constantly search for quality and exclusiveness through original and harmonious combinations of tactile and chromatic effects.

Made in Cleaf means Made in Italy.





technical information





COMPOSITION	TEST METHOD	support wood:	trunks, stems, branchwood, billets, root collars, fast-growth trees and shrubs, residues from the sawing, veneer-cutting, stripping and carpentry of broadleas and coniferous species.		
		adhesive: additives:	condensation of urea/formaldehyde water ammonium sulphate paraffin	8% 6,60% 0,20% tracks	
		surfaces facing decoration:	decorative papers impregnated with melamine resin		
FORMALDEHYDE	EN 120	Class E1	≤ 8mg/100gr		
PHYSICAL PROPERTIES	EN 323 EN 322	density moisture content	da 500 a 700kg/m³ da 5% al 13%		
NOMINAL DIMENSION TOLERANCE	EN 324-1 EN 324-1	sanded thickness length - width	± 0.2mm ± 5mm		



UNI EN 12720	surfaces resistance to cool liquid reaction	Class B*			
	STAINING AGENTS	16 hrs	CONTACT TIME 1hr 10 minutes 10 seconds		
	acetic acid (water solution 10%)	5	5	5	
	acetone	5			5
	ammonia (water solution 10%)	5	5	5	
	red wine	5	5	5	
	citric acid (water solution 10%)	5	5	5	
	cleansing agent	5	5		
	coffee	5	5		
	disinfectant (water solution 10%)	5	5	5	
	endorsing ink	2			
	ethanol (water solution 48%)	5	5	5	
	ethyl-butyl acetate (1:1)	5			5
	olive oil	5	5	5	
	paraffin oil	5	5		
	sodium carbonate (water solution 10%)	5	5		
	sodium chloride (water solution 15%)	5	5		
	tea	5	5		
	water	5	5		
	beer	5	5	5	
UNI 9.115 UNI EN 12722 UNI EN 12721 UNI 9.428 UNI 9.429 UNI 9.300	abrasion resistance resistance to dry heat resistance to damp heat scratch resistance resistance to temperature variations stain resistance	4° level Class B' Class B' 4° level 5° level 4° level	k k		

EVALUATION

- 5 no defects
- 4 slight change in colour or gloss
- 3 moderate change in colour or gloss
- 2 strong mark
- 1 surface detachment
- not required by UNI 10944

 * compliant LINI 10944
- compliant UNI 10944

matrix range

MATRIX IS A TECHNOLOGICALLY ADVANCED PRODUCT RESULT OF SOPHISTICATED RESEARCH AND DEVELOPMENT, OF A HANDCRAFT CARE FOR DETAIL AND AN INDUSTRIAL EVOLUTION IN HIGH TECH.

The perfection of a natural structure. Textural, rough, down to earth. Perfect functionality in harmony with the environment.

MATRIX PRODUCT OFFER

PANELS

• 18mm HMR Particleboard - Embossed 2 sides

Sheet size: 2800 x 2070mm WA, SA, VIC
 Sheet size: 2800 x 1030mm WA, SA, VIC
 Sheet size: 2800 x 1840mm NSW, QLD only

• 14 Matrix decors + 1 Nadir

HIGH PRESSURE LAMINATE (HPL)

Sheet size: 3050 x 1300 x 0.7mm
 Sheet size: 3050 x 650 x 0.7mm
 14 Matrix decors + 1 Nadir

DOORS

- 18mm HMR Particleboard Embossed 2 sides
- Matching 1mm ABS Edging 21mm wide (other widths available on request)
- 14 Matrix decors + 1 Nadir

EDGING

- Matching 1mm ABS Edging 21mm wide (other widths available on request)
- 50m rolls Unglued and Preglued
- 14 Matrix decors + 1 Nadir







yosemite range

YOSEMITE CAPTURES THE LANGUAGE OF NATURE, AND EXPRESSES IT IN THE SIGNS OF NATURAL ELEMENTS.

A SPECIFIC MANUFACTURING PROCESS ALLOWS THE SURFACE TO FEEL SMOOTH AND POLISHED, WHILE STILL LOOKING DISTINCTLY TRIDIMENSIONAL.

Light reflexes emphasize the natural look of woodgrain and the interplay of touch and sight.

YOSEMITE PRODUCT OFFER

PANELS

• 18mm HMR Particleboard - Embossed 1 side

Sheet size: 2800 x 2070mm WA, SA, VIC
 Sheet size: 2800 x 1030mm WA, SA, VIC
 Sheet size: 2800 x 1840mm NSW, QLD only

• 6 Yosemite decors

EDGING

- Matching 1mm ABS Edging 21mm wide (other widths available on request)
- 50m rolls Unglued and Preglued
- 6 Yosemite decors





VOSEMİTE




S014 AQUAMARINE



S015 LIGHT CARBON



S013 OLD JACK



S012 BURNET



S011 MILKSHAKE





DISTRIBUTORS

NSW

Nover Pty Ltd 19 Wonderland Drive, Eastern Creek NSW 2766 T: 1300 668 371 F: 1300 668 372 www.nover.com.au

QLD

Nover Pty Ltd 98 Freight St, Lytton QLD 4178 T: 1300 599 057 F: 1300 599 347 www.nover.com.au

SA

VP Surface Solutions Pty Ltd 27 Nylex Ave, Salisbury South SA 5106 T: (08) 8281 3444 F: (08) 8281 3184 www.veneerpanels.com.au.com.au

VIC

JH Wilberforce Pty Ltd 37-39 Ordish Rd, Dandenong South VIC 3175 T: (03) 9793 7099 F: (03) 9793 7399 www.jhwilberforce.com.au

WA

JH Wilberforce Pty Ltd 270 Beringarra Ave, Malaga WA 6090 T: (08) 9340 6222 F: (08) 9340 6262 www.jhwilberforce.com.au